Bibliography

[1] Abrahamowicz, M. Ciampi, A. and Ramsay, J. O. (1992). Nonparametric Density Estimation for Censored Survival Data: Regression-Spline Approach. *The Canadian Journal of Statistics* **20**, 171 - 185.

[2] Andersen, P. K. and Gill, R. D. (1982). Cox's Regression Model for Counting Processes: a Large Sample Study. *The Annals of Statistics* **10**, 1100 - 1120.

[3] De Boor, C.(1978). *A Practical Guide to Splines. Applied Mathematical Sciences.* **27**, Springer-Verlag, New York.

[4] Clayton, D. G. (1978). A Model for Association in Bivariate Life Tables and Its Application in Epidemiological Studies of Familial Tendency in Chronic Disease Incidence. *Biometrika* **65**, 141 - 151.

[5] Dabrowska, D. M. (1988). Kaplan-Meier Estimate on the Plane. *The Annals of Statistics* **16**, 1475 - 1489.

[6] Diabetic Retinopaty Study Research Group (1981), Diabetic retinopathy study. *Investigative Ophthalmology and Visual Science*, **21**, 149 - 226.

[7] Diggle, P. J., Liang, K. Y., and Zeger, S. L. (1996). *Analysis of Longitudinal Data*. Clarendon Press, Oxford.

[8] Eilers, P. H. C. and Marx, B. D. (1996). Flexible Smoothing with B-splines and Penalties. *Statistical Science* **11**, 89 - 102.

[9] Eubank, R. L. (1988). *Spline Smoothing and Nonparametric Regression*. M. Dekker, New York.

[10] Ferguson, T. S. (1996). *A Course in Large Sample Theory*. Chapman and Hall, London/Weinheim/New York/Tokyo/Melbourne/Madras.

[11] Fleming, T. R. and Harrington, D.P. (1991). *Counting Processes and Survival Analysis*. John Wiley & Sons, Inc., New York.

[12] Gill, R. D. (1992). Multivariate Survival Analysis. *Theory Probab. Appl.* **37**, 18 - 31.

[13] Holt, J. D. and Prentice, R. L. (1974). Survival Analysis in Twin Studies and Matched Pair Experiments. *Biometrika* **61**, 17 - 30.

[14] Huster, W. J., Brookmeyer, R., and Self, S. G. (1988). Modeling Paired Survival Data with Covariates. *Biometrics* **45**, 145 - 156.

[15] Kooperberg, C., Stone, C. J, and Truong, Y. K. (1995). Hazard Regression. *Journal of the American Statistical Association* **90**, 78 - 94.

[16] Kooperberg, C. (1998). Bivariate Density Estimation with an Application to Survival Analysis. *Journal of Computational and Graphical Statistics* **7**, 322 -341.

[17] Lawless, J. F. (1982). *Statistical Models and Methods for Lifetime Data*. Wiley, New York.

[18] Murphy, R.P. and Patz, A. (1978). New Concepts in Management of Retinal Vascular Disorder. *Ophthalmology Update*, International Congress Series. No. 508, K.Mizuno and Y.Mitsui(eds), 115 - 125, Amsterdam: Excerpta Medica.

[19] Oakes, D. (1982). A model for Association in Bivariate Survival Data. *Journal of the Royal Statistical Society, Series B* **44**, 414 - 428.

[20] Sen, P. K and Singer, J. M. (1993). *Larger Sample Methods in Statistics*. Chapman and Hall, New York, London.

[21] Shikin, E. V.(1995). *Handbook on Splines for the User*. CRC Press, Boca Rato.

[22] Stone, C. J., Hansen, M. H., Kooperberg, C., and Truong, Y. K. (1997). Polynomial Splines and their Tensor Products in Extended Linear Modeling. *The Annals of Statistics* **25**, 1371 - 1470.

[23] Wei, L. J., Lin, D. Y., and Weissfeld, L. (1989). Regression Analysis of Multivariate Incomplete Failure Time Data by Modeling Marginal Distributions. *Journal of the American Statistical Association*, **84**, 1065 - 1073.

[24] Wei, L. J. and Lachin, J. M. (1984). Two-Sample Asymptotically Distribution-Free Tests for Incomplete Multivariate Observations. *Journal of the American Statistical Association* **79**, 653 - 661.